



JINHUA HUANAN AUTOPARTS CO.,LTD.

☎ +86 579-8238-9888

☎ +86-198-4660-0635


✉ sales@hn-industries.com

🌐 www.hnmfg.com

📍 NO.998 Shifeng Road, Jinhua, 321017, Zhejiang, china



E-Catalogue



HUANAN

SNOW CHAINS



TRANSPORT



KLIFF	04
SPIKE	05
ROAD	06
CAMION	07
HNN	08
ZEN	09
U-BLADE	10
PASSENGER CAR CHAINS	11

TRACTOR



SMART TRAC	16
SMART FLEX	17
REKKI	18

CONSTRUCTION



UNIVERSAL	20
UNIVERSAL MAX	20

FOREST CHAIN



MEGA	22
UCORE	23
STUDLOCK	24
BJORN	25
HEKA	26


ABOUT US

Founded in 1989, HUANAN is a global leader in snow chains, deeply established in key markets including Germany, Sweden, Finland, Italy, and North America. Through continuous innovation in areas like new alloys, martensitic heat treatment, and Wafios flash welding, the company drives industry advancement.

Recognized as a "Green Factory" and "Specialized, sophisticated, distinctive and innovative" high-tech enterprise, HUANAN adheres to ISO 9001, 14001, and 45001 certifications, exceeding stringent European standards through relentless innovation. Guided by "Pioneering and Pragmatic Innovation," it upholds core tenets of "Technology and Quality First," "Integrity," and "Service Above All."

Headquartered in Jinhua National Economic and Technological Development Zone, China, HUANAN Auto Parts operates 31,000+ sqm facilities with 300+ professionals. Utilizing German technology and advanced processes via joint ventures, modern management, and integrated IT systems, it has upgraded all key operations (R&D, manufacturing, procurement, sales, finance).

The product line of Huanan covers the whole series of vehicles, forest machinery chains and auto parts, and the products have passed the certification of European Union EN16662-1, German TUV, Austrian ONORM and ISO three systems with their excellent quality, and are exported to Europe and the United States and other international markets.






KLIFF

KLIFF TRUCK CHAIN

KLIFF is a high-performance square-studded snow chain for extreme icy conditions. Its square studs are sharper and more penetrating than regular studs, providing excellent grip on hard-packed ice and snow. Forged from high-strength alloy steel, the main chains deliver exceptional durability and over 25% weight reduction while maintaining strong load capacity. G80 high-strength side chains ensure superior tensile strength for heavy-duty use. From frozen highways to job sites across North America and Europe, KLIFF keeps trucks, buses and machinery steady, secure and in control, making it the professional choice for harsh winters.



SPIKE

SPIKE TRUCK CHAIN

SPIKE Series is engineered for professional fleets operating in harsh Nordic winter conditions. Each chain features aggressive hardened steel spikes that dig into ice and snow, delivering instant traction when it matters most. The super-tight construction ensures exceptional stability, while heavy-duty heat-treated hooks deliver reliable performance under extreme load.



Model	Tire Size	Diameter
SP-41	185 x 14	7mm
SP-42	205 x 14	7mm
SP-51	215 x 14	7mm
SP-63	8,25 x 15	7mm
SP-85	10,00 x 15	7mm
SP-83	265/70 x 15	7mm
SP-43	7,00 x 16	7mm
SP-52	8,00 x 16	7mm
SP-64	8,25 x 16	7mm
SP-63	245/75 x 16	7mm
SP-61	8,75 x 16,5	7mm
SP-83	31 x 10,5-16,5	7mm
SP-64	7,50 x 17	7mm
SP-74	8,25 x 17	7mm
SP-43	8 x 17,5	7mm
SP-63	8,5 x 17,5	7mm
SP-64	9,5 x 17,5	7mm
SP7-63	10 x 17,5	7mm
SP-43	205/75 x 17,5	7mm
SP-43	215/75 x 17,5	7mm
SP-63	225/70 x 17,5	7mm
SP-63	235/75 x 17,5	7mm
SP-63	245/70 x 17,5	7mm
SP-64	245/75 x 17,5	7mm
SP-64	7,50 x 18	7mm
SP-74	8,25 x 18	7mm
SP7-84	9,00 x 18	7mm
SP-64	245/70 x 19,5	7mm
SP-84	265/70 x 19,5	7mm
SP7-84	285/70 x 19,5	7mm
SP7-84	305/70 x 19,5	7mm
SP-65	7,50 x 20	7mm
SP-65	8,00 x 20	7mm
SP-76	8,25 x 20	7mm
SP7-76	9,00 x 20	7mm

Model	Tire Size	Diameter
SP8-72	305/70 x 19,5	8mm
SP8-64	9,00 x 20	8mm
SP8-74	10,00 x 20	8mm
SP8-84	11,00 x 20	8mm
SP8-85	12,00 x 20	8mm
SP8-115	13,00 x 20	8mm
SP8-116	13,5 x 20	8mm
SP8-116	14,00 x 20	8mm
SP8-64	10 x 22,5	8mm
SP8-73	11/70 x 22,5	8mm
SP8-74	11 x 22,5	8mm
SP8-84	12 x 22,5	8mm
SP8-85	13 x 22,5	8mm
SP8-114	15 x 22,5	8mm
SP8-64	255/70 x 22,5	8mm
SP8-73	275/70 x 22,5	8mm
SP8-74	275/80 x 22,5	8mm
SP8-82	295/60 x 22,5	8mm
SP8-83	295/70 x 22,5	8mm
SP8-84	295/80 x 22,5	8mm
SP8-83	305/70 x 22,5	8mm
SP8-73	315/60 x 22,5	8mm
SP8-83	315/70 x 22,5	8mm
SP8-84	315/75 x 22,5	8mm
SP8-84	315/80 x 22,5	8mm
SP8-114	385/65 x 22,5	8mm

ROAD

ROAD TRUCK CHAIN

ROAD serie is a studless ladder-pattern commercial snow chain, purpose-built for highway commuting, delivering reliable, consistent performance for daily winter travel in temperate regions across Europe, North America and worldwide. Forged from high-strength, wear-resistant steel, its classic ladder design delivers smooth, long-lasting traction on paved roads. Featuring a simple, durable structure and quick-connect fasteners for easy installation, the studless construction is optimized for regular icy/snowy highways, avoiding damage from extreme mountain terrain. ROAD keeps heavy trucks and buses steady, secure, and fully in control from urban freeways to suburban trunk roads, making it the cost-effective benchmark choice for commercial winter highway travel in temperate zones.



Non-Cam Stock No.	Cam Stock No.	Tire Size
2209R	N/A	7.00-14LT,185-14,P205/75R14,28x8.50-14,195/75R14LT,205/60R17.5
2211R	N/A	H70-14ST,H78-14ST,H78-15ST,LR78-15,6.70-15LT,7.00-15LT,P215/75R15
2216R	2216CAM	215/75R14LT,9-14.5MH,H78-15LT,P225/75R15,P35/75R15,215/75R15LT 30x9.50-15,6.50-16LT,P225/70R16,P225/75R16,205R16,225/75R16LT 255/60R16,255/75R16LT,8.00-16.5,P235/60R17,P235/65R17,235/65R17
2219R	2219CAM	7.00-15TR,7.50-15LT,P275/60R15,235/75R15LT,245/70R15LT 245/75R15LT,7.00-16LT,8.75-16LT,215/80R16LT,215/85R16LT 235/75R16LT,245/70R16LT,255/65R16LT,8.75-16.5,P235/70R17
2221R	2221CAM	NR78-15,7.50-15TR,275/60R15LT,LR78-16,7.50-16LT,235/85R16LT
2214R	2214CAM	7.50-17,245/70R17LT,225/70R17.5,7.00-18,8-19.5
2229R	2229CAM	P245/65R15,P245/70R15,P255/70R15,P265/70R15,P265/75R15,255/75R15LT P235/70R16,P245/70R16,P245/75R16,P255/65R16,P255/70R16,P275/60R16 P235/75R17,P245/65R17,P245/65R17,P245/70R17,P245/75R17,P255/55R17,P255/60R17 P255/65R18,255/60R18,255/60R18,235/55R19
2228R	2228CAM	8.25-15TR,285/75R15,P275/70R16,255/85R16LT,245/70R19.5,P275/60R20
N/A	2233CAM	7.50-18,265/70R19.5,6.50-20,7.00-20
2237R	2237CAM	9.00-15TR,9.00-16LT,9R17.5,10R17.5,7.50-20,8-22.5,235/80R22.5
N/A	2239CAM	10-15TR,QR78-16,11R17.5,8.25-20,9-22.5,245/75R22.5,275/70R22.5
2241R	2241CAM	9.00-20,10-22.5,255/80R22.5,265/75R22.5
2245R	2245CAM	10.00-20,11-22.5,275/80R22.5
2247R	2247CAM	285/75R22.5,295/75R22.5,305/70R22.5,275/80R24.5,285/75R24.5
2249R	2249CAM	10.00-22,11-24.5
2251R	2251CAM	11.00-15TR,11.00-20,12-22.5,12.5-22.5,295/80R22.5
2255R	2255CAM	12.00-20,13/80R20,11.00-22,315/80R22.5,12-24.5



CAMION

CAMION TRUCK CHAIN

- Through galvanization and spray treatment, matching with bright color, beautiful appearance
- Special alloy steel with heat treatment gives a longer service life



Model	Tire Size	Diameter(mm)
CAM-129	27/10.5	5.7/7mm
CAM-129	27x8.5	5.7/7mm
CAM-131	31x11.5	5.7/7mm
CAM-129 CAM-127	265/75 280/55	5.7/7mm
CAM-126	3.6	5.7/7mm
CAM-127	7	5.7/7mm
CAM-129	7.5	5.7/7mm
CAM-131	8.25	5.7/7mm
CAM-127	225/75	5.7/7mm
CAM-126	235/65-16	5.7/7mm
CAM-127	235/70	5.7/7mm
CAM-129	235/80	5.7/7mm
CAM-131	235/85	5.7/7mm
CAM-129	245/75	5.7/7mm
CAM-131 CAM-140	265/75 280/85	5.7/7mm
CAM-129	10	5.7/7mm
CAM-136	12	5.7/7mm
CAM-1410	35x12.5	5.7/7mm
CAM-1410	36x12.5	5.7/7mm
CAM-1460	38x15.5	5.7/7mm
CAM-131	265/65	5.7/7mm
CAM-127	8	5.7/7mm
CAM-129	8.5	5.7/7mm
CAM-131	9.5	5.7/7mm
CAM-136	10	5.7/7mm
CAM-127	205/65	5.7/7mm
CAM-129	205/75	5.7/7mm
CAM-129	215/75	5.7/7mm
CAM-129	225/75	5.7/7mm
CAM-131	235/70	5.7/7mm
CAM-131	235/75	5.7/7mm
CAM-131	245/70	5.7/7mm
CAM-131 CAM-131	245/75 255/65-7.5	5.7/7mm



The CAM makes it easier to tighten the chain. Using the supporting wrench to turn the CAM 180 degrees, the chain will be tightened up well.



HNN

HNN TRUCK CHAIN

HNN is a premium diamond-pattern snow chain engineered for all-directional slip resistance.

Its unique D-link design delivers smoother rides with less vibration and noise. Treated with special galvanization, it features a durable zinc layer for long-term rust prevention, a sleek finish, and easy long-term storage. Ideal for trucks, buses and passenger vehicles, HNN provides reliable traction on icy and snowy roads, making it the durable, low-noise choice for winter driving.



Model No	Tire Size
HNN210	7.00-14,185/75-14,185-14,195/70-14
HNN220	195-14,6.70-14,195/75-14,185-15,195/70-15,205/65-15,6.40-15, 175-16,175/75-16,195/65-16
HNN225	205-14,205/75-14,7.50-14,215/75-14,195-15,195/75-15,7.00-15, 205/75-15,205/70-15, 215/65-15,185-16,185/75-16
HNN240	215-15,225/75-15,235/70-15,255/60-15,28/9.00-15,205-16,6.50-16, 205/80-16, 215/75-16,225/70-16,8-16.5,7-17.5,205/75-17.5
HNN245	235/75-15,9.00-15,215-16,215/85-16,225/75-16,7.00-16,215/75-17.5
HNN250	7.50-15,255/70-15,265/70-15,235/80-16,245/70-16,245/75-16, 255/65-16,255/70-16, 8-17.5,225/75-17.5,7-19.5
HNN255	265/75-15,31/10.50-15
HNN260	7.50-16,235/85-16,8.5-17.5,235/75-17.5,245/70-17.5
HNN270	8.25-15,8.25-16,9.5-17.5,245/70-19.5
HNN275	8.25-17,10-17.5,9-19.5,265/70-19.5
HNN280	9.5-19.5,7.50-20,8.00-20,225/90-20,8-22.5,255/70-22.5
HNN290	10.00-15,285/70-19.5,8.25-20,9-22.5,8.3-24
HNN295	305/70-19.5,295/60-22.5,275/70-22.5,305/60-22.5
HNN300	11.00-16,9.00-20,10-22.5,11/70-22.5,295/70-22.5,315/60-22.5, C22.5Pilote, 275/80-22.5,305/70-22.5,9.5-24
HNN310	10.00-20,D20Pilote,12/80-20,11-22.5,D22.5Pilote,295/80-22.5,315/70-22.5,315/75-22.5
HNN320	11.00-20,12-22.5,E22.5Pilote,315/80-22.5,305/75-24.5,315/75-24.5
HNN330	12.00-20,11.00-22,13-22.5,10.00-24
HNN350	9.00-16,255/100-16,275/70-19.5,285/70-19.5,285/60-22.5
HNN370	12.5-20,E20Pilote,13/80-20,335/80-20,12/80-22.5,13/75-22.5,295/80-22.5,11.2-24



ZEN

ZEN TRUCK CHAIN

ZEN is a heavy-duty Z-pattern snow chain for trucks and commercial use. Its Z-shape design delivers multi-angle anti-slip performance for enhanced stability on icy surfaces. Sharper square studs provide excellent penetration and grip on compacted snow and ice. Made of high-strength alloy steel, it ensures long service life and over 25% weight reduction with strong load capacity. G80 side chains boost tensile strength for reliable heavy-duty performance across European and North American winter highways.



Locking lever system,the key component used to tighten the snow chain firmly



Model No	Type	Tire Size	Diameter(mm)
ZTS12R225	Z-TYPE	12R-22,5	7/8/9mm
ZTS29580225	Z-TYPE	295/80-22,5	7/8/9mm
ZTS30570195	Z-TYPE	305/70-22,5	7/8/9mm
ZTS31575225	Z-TYPE	315/75-22,5	7/8/9mm
ZTS120020	Z-TYPE	12.00-20	7/8/9mm
ZTS31580225	Z-TYPE	315/80-22,5	7/8/9mm
ZTS38565225	Z-TYPE	385/65-22,5	7/8/9mm

U-BLADE

UB TRUCK CHAIN

UB is a snow chain designed for trucks and tractors operating in demanding working environments, built from high-grade alloy steel to ensure consistent performance under heavy load conditions. It is engineered to deliver a balanced combination of traction, structural strength, and service life. The U-spike configuration is optimized for off-road applications, providing reliable grip on mud, slopes, and uneven terrain where conventional chain structures tend to lose effectiveness. It maintains stable ground engagement, ensuring controlled traction and improved mobility in difficult conditions. Through advanced alloy composition and heat-treatment processes, UB achieves high hardness and tensile strength, allowing it to withstand repeated impact and continuous heavy-duty use while maintaining long-term structural integrity.

Model	Tire Size			Diameter
UB-41	185x14			7mm
UB-42	205x14			7mm
UB-43	7.00x16 215/75x17.5	8x17.5 205/75x17.5		7mm
UB-51	215x14			7mm
UB-52	8.00x16			7mm
UB-61	8.75x16.5			7mm
UB-63	8.25x15, 245/75x16, 8.5x17.5, 10x17.5 225/70x17.5, 235/75x17.5	245/70x17.5		7mm
UB-64	8.25x16, 7.50x17, 9.5x17.5, 245/75x17.5 7.50x18, 245/70x19.5			7mm
UB-65	7.50x20, 8.00x20			7mm
UB-74	8.25x17, 8.25x18			7mm
UB-76	8.25x20, 9x22.5			7mm
UB-83	265/70x15, 31x10.5-16.5			7mm
UB-85	10.00x15			7mm
UB7-63	265/70x19.5			7mm
UB7-76	9.00x20, 10x22.5, 55/70x22.5			7mm
UB7-84	9.00x18, 285/70x19.5, 305/70x19.5			7mm
UB7-85	11/70x22.5, 295/65x22.5, 275/70x22.5, 305/60x22.5			7mm
UB7-86	10.00x20, 11x22.5, 275/80x22.5			7mm
UB7-94	295/60x22.5			7mm
UB7-95	295/70x22.5, 305/70x22.5, 315/60x22.5			7mm
UB7-96	11.00x20, 12x22.5, 295/80x22.5, 315/70x22.5, 315/75x22.5			7mm
UB7-97	315/80x22.5			7mm
UB7-106	295/80x22.5B, 315/80x22.5B			7mm
UB7-125	385/55x22.5			7mm
UB7-126	15x22.5, 385/65x22.5			7mm
UB8-64	9.00x20, 10x22.5, 255/70x22.5			8mm
UB8-72	305/70x19.5			8mm
UB8-73	11/70x22.5, 275/70x22.5, 315/60x22.5			8mm
UB8-74	10.00x20, 11x22.5, 275/80x22.5			8mm



Model	Tire Size			Diameter
UB8-82	295/60x22.5			8mm
UB8-83	295/70x22.5, 305/70x22.5, 315/70x22.5			8mm
UB8-84	11.022x20, 12x22.5, 295/80x22.5, 315/75x22.5, 15/80x22.5			8mm
UB8-85	12.00x20, 13x22.5			8mm
UB8-114	15x22.5, 385/65x22.5			8mm
UB8-115	13.00x20			8mm
UB8-116	13.5x20, 14.00x20			8mm
UB9-64	9.00x20, 10x22.5, 255/70x22.5			9mm
UB9-74	10.00x20, 11x22.5, 275/80x22.5			9mm
UB9-83	315/70x22.5			9mm
UB9-84	11.00x20, 12x22.5, 295/80x22.5, 315/75x22.5, 315/80x22.5			9mm



AKN PASSENGER CAR CHAINS

MILLISECOND FULLY AUTOMATIC TIGHTENING

- D-Shaped Square Chain Structure: Rugged Construction Defying Frigid Roads
- Effortless Installation & Portability: Reduce Driving Burden, Save Fuel & Protect Tires



- Automatic Tensioner: Just press once for 0.1s automatic locking and self-tightening. Quick and easy installation with no repeated adjustment required.



12mm [D3.5mm]
9mm [D2.5mm]

12mm



Model No	Tire Size											
AKN60	185/70R13	205/60R13	165/75R14	175/70R14	185/60R14	185/65R14	195/55R14	165/65R15	165/70R15	175/60R15	175/65R15	
	185/50R16	195/45R16										
AKN70	175/80R13	195/70R13	205/65R13	205/65R13	215/60R13	165/80R14	185/70R14	195/60R14	195/65R14	155/80R15	175/70R15	
	185/60-390	195/50R16	205/45R16	215/40R16								
AKN80	225/60R13	6.50R14	175/80R14	205/60R14	175/80R15	185/65R15	185/70R15	195/60R15	195/65R15	195/55R16	205/40R17	
	205/45R17	215/40R17										
AKN90	225/60R14	185/80R15	195/75R15	195/70R15	175/80R16	185/75R16	185/70R16	205/50R17	215/50R17	225/45R17	215/45R18	
AKN100	205/80R14	205/80R14	195/80R15	230/60R15	205/65R16	215/60R16	225/55R16	215/55R17	225/50R17	215/50R18	225/45R18	
AKN110	225/65R15	235/60R15	215/65R16	225/60R16	235/55R16	215/60R17	225/55R17	235/50R17	245/45R17	215/55R18	225/50R18	
	235/45R18	245/40R18	225/45R19	235/40R19	245/35R19							
AKN120	215/80R14	225/75R14	215/75R15	225/70R15	235/65R15	205/75R16	215/70R16	225/65R16	235/60R16	215/65R17	225/60R17	
	235/55R17	245/50R17	225/55R18	235/50R18	245/45R18	255/40R18	205/55R19	225/50R19	235/45R19	245/40R19	235/40R20	
AKN130	215/70R17	225/65R17	235/60R17	225/60R18	235/55R18	245/50R18	225/55R19	235/50R19	245/45R19	235/45R20	245/35R21	
AKN140	235/70R16	235/65R17	235/60R18	245/55R18	245/60R18	255/50R18	225/60R19	235/55R19	235/55R19	255/45R19	235/50R20	
AKN150	245/70R16	255/65R16	235/70R17	245/65R17	255/60R17	235/65R18	255/55R18	235/60R19	245/55R19	255/50R19	235/55R20	
AKN160	265/70R15	245/70R17	265/60R17	255/60R18	255/55R19	265/50R19	255/50R20	265/45R20	255/45R21	265/35R22		
AKN170	265/60R18	265/65R18	255/70R18	255/60R19	275/55R19	255/55R20	265/50R20	265/55R20	265/45R21	275/45R21	285/40R21	
	255/45R22	265/40R22	275/40R22	265/40R23								

AT 9MM PASSENGER CAR CHAINS

ULTRA-LOW CLEARANCE · AUTOMATIC TIGHTENING

- 9mm Twisted Link Chain Design.
- Designed for ultra-low tire clearance, providing strong anti-skid and ice-breaking performance without damaging the tire.



- Automatic Tensioner: Just press once for 0.1s automatic locking and self-tightening. Quick and easy installation with no repeated adjustment required.



9mm



Model No	Tire Size											
AT60	185/70R13	205/60R13	165/75R14	175/70R14	185/60R14	185/65R14	195/55R14	165/65R15	165/70R15	175/60R15	175/65R15	
	185/50R16	195/45R16										
AT70	175/80R13	195/70R13	205/65R13	205/65R13	215/60R13	165/80R14	185/70R14	195/60R14	195/65R14	155/80R15	175/70R15	
	185/60-390	195/50R16	205/45R16	215/40R16								
AT80	225/60R13	6.50R14	175/80R14	205/60R14	175/80R15	185/65R15	185/70R15	195/60R15	195/65R15	195/55R16	205/40R17	
	205/45R17	215/40R17										
AT90	225/60R14	185/80R15	195/75R15	195/70R15	175/80R16	185/75R16	185/70R16	205/50R17	215/50R17	225/45R17	215/45R18	
AT100	205/80R14	205/80R14	195/80R15	230/60R15	205/65R16	215/60R16	225/55R16	215/55R17	225/50R17	215/50R18	225/45R18	
AT110	225/65R15	235/60R15	215/65R16	225/60R16	235/55R16	215/60R17	225/55R17	235/50R17	245/45R17	215/55R18	225/50R18	
	235/45R18	245/40R18	225/45R19	235/40R19	245/35R19							
AT120	215/80R14	225/75R14	215/75R15	225/70R15	235/65R15	205/75R16	215/70R16	225/65R16	235/60R16	215/65R17	225/60R17	
	235/55R17	245/50R17	225/55R18	235/50R18	245/45R18	255/40R18	205/55R19	225/50R19	235/45R19	245/40R19	235/40R20	
AT130	215/70R17	225/65R17	235/60R17	225/60R18	235/55R18	245/50R18	225/55R19	235/50R19	245/45R19	235/45R20	245/35R21	
AT140	235/70R16	235/65R17	235/60R18	245/55R18	245/60R18	255/50R18	225/60R19	235/55R19	235/55R19	255/45R19	235/50R20	
AT150	245/70R16	255/65R16	235/70R17	245/65R17	255/60R17	235/65R18	255/55R18	235/60R19	245/55R19	255/50R19	235/55R20	
AT160	265/70R15	245/70R17	265/60R17	255/60R18	255/55R19	265/50R19	255/50R20	265/45R20	255/45R21	265/35R22		
AT170	265/60R18	265/65R18	255/70R18	255/60R19	275/55R19	255/55R20	265/50R20	265/55R20	265/45R21	275/45R21	285/40R21	
	255/45R22	265/40R22	275/40R22	265/40R23								

QC PASSENGER CAR CHAINS

12mm [D3.5mm]
9mm [D2.5mm]

LIGHTWEIGHT, EASY-INSTALL, COMFORT-DRIVEN

- Safe and comfortable driving experience.
- Effortless loading/unloading through light-weight design and clamp plate mechanisms, drastically improving operational efficiency.



12mm



Model No	Tire Size											
QC20	145/80R12	155/80R12	165/70R12	135/80R13	145/80R13	155/70R13	135/80R14	145/70R14	165/55R14	125/80R15	135/70R15	
QC30	175/70R12	185/60R12	165/70R13	165/65R13	160/65R13.5	155/65R14	165/60R14					
QC40	155/80R13	165/70R13	145/80R14	155/70R14	135/80R15	155/65R15						
QC50	165/80R13	185/65R13	155/80R14	165/75R14	145/80R15	155/70R15	185/50R16	195/40R16				
QC60	175/80R13	195/70R13	205/65R13	165/80R14	175/75R14	185/70R14	175/70R15	185/60R15	185/65R15	195/50R16	205/45R16	
QC70	225/60R13	6.50R14	175/80R14	185/70R15	195/60R15	195/65R15	195/55R16	205/50R16	215/45R16	205/40R17	205/45R17	
QC80	175/80R15	185/75R15	195/60R16	205/55R16	185/60R17	205/50R17						
QC90	195/75R14	195/80R14	225/60R14	185/80R15	195/70R15	195/75R15	175/80R16	175/75R16	185/70R16	205/55R17	215/50R17	
QC100	225/45R17	215/40R18	215/45R18	225/40R18								
	205/80R14	215/70R14	225/65R14	195/80R15	205/70R15	215/65R15	205/65R16	215/60R16	225/55R16	215/55R17	225/50R17	
QC110	235/45R17	215/50R18	235/40R18	225/45R18								
	225/70R14	215/70R15	225/65R15	235/60R15	245/55R15	215/65R16	225/60R16	235/55R16	215/60R17	225/55R17	235/50R17	
QC120	245/45R17	245/40R18	220/65-390	235/40-475								
	215/80R14	225/75R14	215/75R15	225/70R15	235/65R15	215/70R16	225/65R16	235/60R16	245/55R16	225/60R17	235/55R17	
QC130	245/50R17	255/45R17	215/55R18	225/50R18	225/55R18	235/45R18	205/55R19	225/45R19	235/40R19	245/35R19		
	235/70R15	225/70R16	215/70R17	225/65R17	235/60R17	245/55R17	225/60R18	235/55R18	235/50R18	245/50R18	225/50R19	
QC140	225/55R19	235/45R19	235/50R19	235/40R20	235/45R20	245/40R20	245/35R21					
	235/70R16	245/70R16	255/65R16	235/65R17	245/65R17	255/60R17	235/60R18	235/65R18	245/55R18	245/60R18	235/60R19	
	245/50R19	245/55R19	255/45R19	235/50R20	235/55R20	245/45R20	245/50R20	255/35R21	255/40R21	265/35R21	275/35R21	

SUV CHAINS

16mm [D4.5mm]

MAX TRACTION, EASY INSTALL, ULTIMATE DURABILITY


- Traction Specialists for Midsize & Large SUVs. The choice for max traction, safety, and durability.
- Effortless loading/unloading through lightweight design and clamp plate mechanisms, drastically improving operational efficiency.



16mm



Model No	Tire Size											
SUV10	185/75-14	185/80-14	195/70-14	175/80-15	185/70-15	195/65-15	175/75-16	205/55-16	215/50-16	205/40-18		
SUV20	195/80-14	205/70-14	205/75-14	185/80-15	195/70-15	195/75-15	175/80-16	185/70-16	185/75-16	225/35-19		
SUV30	205/80-14	215/75-14	245/60-14	195/80-15	205/75-15	215/65-15	185/80-16	195/75-16	205/65-16	215/55-17	215/50-18	
SUV40	215/80-14	205/80-15	215/70-15	215/75-15	195/80-16	205/70-16	205/75-16	215/60-17	225/55-17	205/65-17.5	215/55-18	
	225/50-18	235/45-18	205/55-19	215/50-19	225/45-19	195/55-20	215/45-20	225/40-20				
SUV50	215/80-15	LT215/75-15	225/75-15	235/70-15	205/80-16	215/75-16	225/65-16	235/60-16	215/65-17	225/60-17	235/55-17	
	215/60-18	225/55-18	235/50-18	245/45-18	235/45-19	245/40-19	255/40-19	265/35-19	245/35-20	255/35-20	265/30-20	
SUV60	235/75-15	215/80-16	225/75-16	235/70-16	225/65-17	225/70-17	235/65-17	205/75-17.5	225/60-18	235/55-18	215/60-19	
	225/55-19	235/50-19	235/45-20	245/40-20	245/45-20	245/35-21	255/35-21					
SUV70	265/70-15	275/60-15	235/80-16	245/75-16	245/70-17	275/55-17	295/45-17	225/75-17.5	235/65-18	235/60-19	245/55-19	
	275/45-19	235/55-20	235/60-20	245/50-20	235/50-21	275/35-21	295/30-21	285/30-22				
SUV80	245/70-17	255/65-17	265/60-17	265/65-17	235/75-17.5	255/60-18	265/60-18	255/55-19	265/50-19	285/45-19	255/50-20	
	275/45-20	285/40-20	255/45-21	265/40-21	265/45-21	275/40-21	265/35-22	265/40-22				
SUV90	265/65-15	255/70-15	215/85-16	245/70-16	255/65-16	235/70-17	245/65-17	255/60-17	215/75-17.5	235/60-18	245/60-18	
	255/55-18	235/55-19	255/50-19	275/40-19	235/50-20	255/45-20	265/40-20	235/45-21	255/40-21	265/35-21		
SUV100	235/85-16	265/70-16	245/75-17	255/70-17	LT265/60-18	275/60-18	255/60-19	265/55-19	255/55-20	265/50-20	255/50-21	
SUV110	325/60-15	265/75-16	275/70-16	255/75-17	275/65-17	255/70-18	265/70-18	255/65-19	265/55-20	285/45-21	295/35-22	
SUV120	285/70-17	265/70-17.5	275/70-18	285/65-18	275/60-20	275/55-20	315/40-21	285/45-22	295/40-22			
SUV130	35X12.5X15	315/75R16	295/70R17	285/75R18	295/70R18	275/65R20	295/55R20					
SUV140	37X13.5-15	365/65R16	325/60R20									



TRACTOR

SMART TRAC

D-profile links · U-spikes · Lightweight & easy handling · Excellent value

SMART TRAC is a premium tractor snow chain for heavy-duty terrains. Its cross-bar structure fits deep-tread tires, delivering reliable traction in high-stress conditions. U-shaped studs pierce ice for a firm grip on icy roads. Made of special wear-resistant steel, it maximizes service life, with a lightweight, easy-handling design and excellent value. Ideal for tractors and loaders in winter.



Model No	Tire Size	Diameter
ST-08320	8.3-20	5.7MM
ST-08324	8.3-24, 20.5/70-16	5.7MM
ST-09516	09.5-16, 280/70-16, 315/60-16, 320/65-16	5.7MM
ST-09520	09.5-20, 280/70-20	5.7MM
ST-09524	09.5-24	5.7MM
ST-09528	09.5-28	5.7MM
ST-11220	10.3-20, 11.2/10-20, 300/70-20, 320/70-20, 320/80-18, 12.5-18	5.7MM
ST-112247	11.2/10-24, 12.5-20, 16X70-20, 320/70-24, 280/85-24, 300/80-24	7MM
ST-11224	11.2/10-24, 12.5-20, 16X70-20, 320/70-24, 280/85-24, 300/80-24	5.7MM
ST-11228	11.2-28	5.7MM
ST-112287	11.2-28	7MM
ST-12432	12.4/11-28, 360/70-28, 320/85-24, 340/80-24, 360/80-24	5.7MM
ST-124327	12.4/11-28, 360/70-28, 320/85-24, 340/80-24, 360/80-24	7MM
ST-12428	12.4/11-28, 360/70-28, 320/85-24, 360/80-24	5.7MM
ST-124287	12.4/11-28, 360/70-28, 320/85-24, 360/80-24	7MM
ST-12436	12.4/11-36, 320/85-36	5.7MM
ST-124367	12.4/11-36, 320/85-36	7MM
ST-12424	12.4-24, 320/85-20, 360/80-20, 360/70-24	5.7MM
ST-124247	12.4-24, 320/85-20, 360/80-20, 360/70-24	7MM
ST-136247	13.6/12-24, 38/14, 00-2016/70-24, 360/70-24, 375/75, 380/70-24	7MM
ST-13624	13.6/12-24, 38/14, 00-2016/70-24, 360/70-24, 375/75, 380/70-24	5.7MM
ST-136207	13.6-20, 360/70-20, 405/70-18, 400/55-22.5	7MM
ST-13620	13.6-20, 360/70-20, 405/70-18, 400/55-22.5, 41/1400-20	5.7MM
ST-13628	13.6-28, 360/70-28, 380/70-28, 400/80-20, 405/70-24	5.7MM
ST-136287	13.6-28, 360/70-28, 380/70-28, 400/80-20, 405/70-24	7MM
ST-13636	13.6-36, 13.6-38, 340/85-36, 340/85-38	5.7MM
ST-136367	13.6-36, 13.6-38, 340/85-36, 340/85-38	7MM
ST-14924	14.9-24, 15.5/80-20, 420/70-24, 380/85-24, 440/65-24, 400/80-24	5.7MM
ST-149247	14.9-24, 15.5/80-20, 420/70-24, 380/85-24, 440/65-24, 400/80-24	7MM
ST-14928	14.9/13-28, 420/70-28, 380/85-28, 400/80-28, 440/65-28	5.7MM
ST-149287	14.9/13-28, 420/70-28, 380/85-28, 400/80-28, 440/65-28	7MM
ST-14930	14.9/13-30, 420/70-30, 380/85-30	5.7MM
ST-149307	14.9/13-30, 420/70-30, 380/85-30	7MM
ST-149387	14.9-38, 15.5-38	7MM
ST-13616	15/55-17, 13.6-16	5.8MM



TRACTOR

SMART FLEX

D-profile links · Flat spikes · Road-friendly for all terrains · Fully compliant

This tractor chain features a smooth D-shaped design for superior traction and larger ground contact. Heat-treated steel ensures strength and impact resistance for heavy-duty machinery. Narrow, low-profile design fits tight spaces. Pin-linked main chain and hook-style side links allow quick installation. Reversible, symmetrical design extends lifespan and reduces cost. Optional flat-tooth spikes boost grip on snow and mud for extreme conditions.



REKKI

Traditional twist links · Double dense spikes · For heavy tractors · Professional high performance

- Made from special alloy steel with heat treatment for superior wear resistance.
- Easier installation, higher lateral tensile strength, and exceptional wear resistance.
- Spray-coated with bright colors for a sleek, attractive look.



Model No	Tire Size	Diameter
C0832008	8.3-20	8MM
C0832408	8.3-24	8MM
C0952008	9.5-20	8MM
C0952408	9.5-24	8MM
C1122008	11.2-20,320/70-20	8MM
C1122408	11.2-24,280/85-24,300/80-24,320/70-24,12.5-20	8MM
C1122808	11.2-28	8MM
C1242408	12.4-24,360/70-20,320/85-24,380/70-20	8MM
C1242808	12.4-28,320/70-28,360/70-24,320/85-24	8MM
C1243208	12.4-32,13.6-28,360/70-28,320/85-28	8MM
C1243608	12.4-36	8MM
C1362408	13.6-24,360/70-24,380/70-24,405/70-20,340/85-24	8MM
C1362808	13.6-28,360/70-28,380/70-28,400/80-24,13.00-24	8MM
C1363208	13.6-32	8MM
C1363608	13.6-36	8MM
C1363808	13.6-38	8MM
C1492808	14.9-28,440/65-28,380/85-28	8MM
C1493008	14.9-30,14.00-24,17.5-25,420/70-28	8MM
C1492408	14.9-24,14.00-20,15.5-25,420/70-24,440/65-24	8MM
C1493808	14.9-38,15.5-38,420/85-30	8MM
C1363209	13.6-32	8MM
C1362409	13.6-24,360/70-24,380/70-24,405/70-20	9MM
C1362809	13.6-28,13.00-24,360/70-28,380/70-28,400/80-24	9MM
C1363609	13.6-36	9MM
C1363809	13.6-38	9MM
C1492409	14.9-24,14.00-20,420/70-24,440/65-24	9MM
C1492809	14.9-28,440/65-28,380/85-28	9MM
C1493009	14.9-30,14.00-24,17.5-25,420/70-28	9MM
C1493809	14.9-38,15.5-38,420/85-30	9MM
C1692409	16.9-24,420/85-24,480/65-24,480/70-24	9MM
C1692409	16.9-28,420/85-28,480/65-28,480/70-28,440/80-28	9MM
C1693009	16.9-30,18.4-26,420/85-30,480/65-30,480/70-30,440/80-30	9MM
C1693409	16.9-34,16.00-24/25,20.5-25,420/85-34,480/70-34,440/180-34	9MM
C1693809	16.9-38,18.00-25,440/80-38,480/70-38	9MM
C1843009	18.4-30	9MM





UNIVERSAL

- Less vibration and noise with D link
- The tire is densely wrapped in a tortoiseshell shape, which gives the tire a better protection, at the same time, the overall anti-skid performance is greatly improved.



UNI-16924	Tire Size	Diameter
UNI-15618	15.5/60-18	7mm
UNI-15718	15.5/70-18	7mm
UNI-12716	12.5/70-16	7mm
UNI-11020	11.00-20	7mm
UNI-17520	17.5/65-20	8mm
UNI-16924	16.9-24	10mm
UNI-14024	14.00-24	10mm
UNI-17525	17.5-25	10mm
UNI-20525	20.5-25	10mm
UNI-23525	23.5-25	10mm
UNI-26525	26.5-25	10mm



UNIVERSAL MAX





MEGA



The FM series tractor chain combines a 16mm main & longitudinal chain with 13mm side chains, 16mm U-spikes, and 62mm high-traction elements for maximum grip with minimal ground impact. Hot-forged links provide superior strength and toughness while reducing damage to forests and farmland. Self-cleaning design sheds mud, snow, and gravel, preventing clogging. Adjustable side-chain nodes ensure perfect tire fit, and heat-treated alloy steel offers extreme strength, low-temperature toughness, and reduced tire load. Special anti-corrosion treatment extends service life in wet, salty, and corrosive Nordic conditions.



UCORE



Vertical U-Spike Design: U-spikes are welded vertically onto horizontal links and fully locked by reinforcement rings.

Advantage: Maintains vertical penetration on ice and snow under extreme cold, ensuring stable traction.

Trade-off: Single-point grip is slightly lower than SL series' dense spikes, but structure is more stable and resistant to breakage.

Models & Applications:

- 13mm Standard: For medium-to-heavy tractors and standard machinery, equipped with 13mm U-spikes; cost-effective and popular in Nordic winters.
- 16mm Premium: For large harvesters and heavy forestry equipment, with 16mm extended U-spikes; thicker links provide 1.5x the impact resistance of 13mm version; engineered for extreme cold and heavy loads.

STUDLOCK



- 19mm Extra-Wide U-Spikes: Larger than UC (16/19mm) and FM (19mm), welded beneath horizontal links in a "spike array" to pierce mud, snow, and gravel, delivering the strongest traction among all three models.

- Full-Life Vertical Structure: Special welding ensures spikes never tilt under extreme loads, maintaining consistent forward traction and preventing performance loss over time.

- 30-40% Longer Service Life: Exclusive welding and heat-treatment enhance impact and wear resistance, ideal for high-frequency, heavy-duty forestry operations.

- Anti-Corrosion: Special treatment resists Nordic wet, salty, and corrosive conditions, significantly extending chain lifespan.

- Full Pin Connection & Multi-Point Fixing: Main and side chains use pin connections for maximum stability; ensures tight fit under steep slopes and heavy loads for safe operation.

- Independent Tensioning System: Even 16mm heavy-duty chains can be quickly tightened after installation, reducing setup effort.



BJORN



This dual-row straight-spike forestry chain features a transverse mesh link design that adapts to tire deformation, reducing stress concentration and enhancing traction on uneven terrain. The mesh structure provides full coverage and even grip, with each link equipped with two oversized spikes (spike diameter > link thickness) for superior performance on ice, bare rock, and gravel, improving wear resistance and preventing spike loss. Available in 11/13/16mm link sizes for medium to heavy-duty and extreme conditions, suitable for various machinery loads.



HEKA



- Spike Design: Oversized, high-diameter spikes exceed link thickness, providing durable grip and preventing detachment even as chains wear, greatly extending service life.
- Side-Chain Fixing: Spikes lock both inner and outer chains, unlike standard strap fixes, ensuring stability on rough forestry terrain.
- Installation System: Equipped with a quick connector, enabling tool-free installation for rapid chain changes on heavy machinery.
- Material: Alloy steel with high hardness, impact resistance, and low-temperature toughness (-40°C), suited for heavy-duty forestry operations.
- Key Advantages:
 - Oversized Spikes: Durable and long-lasting grip.
 - Dual-Side Locking: Spikes + quick-release system keep chains secure.
 - All-Terrain Ready: Optimized for ice, rocks, and muddy forestry conditions with strong impact resistance.

